Index to Volume I

A

Abbe, Ernest, and Schott, Dr. O. Jena glass 109
Achromatic objectives, their capacity 67
Advisory value of Biological Photographic Association in films for medical education 141
Air brush in retouching prints 148
Alchemists, pioneers in photographic chemistry 207
An Apparatus for Motion Photomicrography on 35 mm. Film—J. Opt. Soc. Amer. 130
Anatomical artists needed to do good medical animation 124
Animals with Leica 96
Animated drawings 121
Animated drawings require three things 121
Animation cameras, etc. 126–127
Animation in experimental physiology, diagnostic methods, instrumentation, medical, surgical treatments 119
Apochromatic objectives require compensating oculars 67
Apochromatic objectives, superior correction 67
Apparatus for Making Surgical Motion Pictures—Ralph P. Creer, New Haven, Conn 23
Aristotle's observation of restoration of color to plants 206

B

Barbaro, Daniello. Lens on camera obscura 106
Bausch and Lomb Optical Co. 4
Bayard's prints on paper 212
Bayne-Jones, Dr., Bac. Dept., U. of Rochester 129
Bayne-Jones, S. Time lapse cine 4, 16
Bellows, long, in cine work 13
Bellows, long, needed in gross photography 8
Belt drive, economy, large pulleys needed, also idlers 131
Benedetti, Giovanni B. 106
Bibliographic References to Photography 163–170
Bichromate bath for reversing negative 200
Biological Photographic Association, objects of 1
Biological Photographic Association organized 1
Black background 74
Blanquart-Everard. Albumen sizing on paper 213
Blood, Instantaneous Photomicrography of the Blood Platelets—Reed Rockwood, M.D. and Charles Sheard, Ph.D. (Abs.) 57
Blue filters, when used develop in weak developer 63
Bosse, K. K. The Use of Animated Drawings in Medical Motion Pictures 117

Box lighting, construction, and use..... 80
Bunoan, Pedro. A Lighting System for Photography of Pathological Specimens.. 79

C

Camera obscura..... 53, 208
Cameras, Universal, Moy, Newman-Sinclair..... 10
Canti, Dr. R. G. Apparatus for time lapse cine..... 6
Canti, Dr. R. G. Cine of living cells in vitro..... 16
Canti, Dr. R. G. Resistors, etc..... 15
Canti, Dr. R. G. Viewing device..... 12
Celluloid base as substitute for glass..... 215
Celluloid sheets in animation..... 125
Centering entire optical system, importance of..... 69
Cinematography, Apparatus for Making Surgical Motion Pictures—Ralph P. Creer, New Haven, Conn..... 23
Cinematography in Surgery—Daniel L. Bordon, M.D., A.M., Washington, D. C.. 21
Cine, "Surg-O-Ray," Augustana Hospital, Chicago—L. E. Buschman..... 27
Clarke, Carl D., Baltimore, Md..... 3, 104, 206
Clearing house for films..... 138
Clinical Cinemicroscopy—Richard B. Stout, M.D., Elkhart, Ind..... 18
Clinical macrophotography, lenses suitable to..... 62
Clinical Photography by Photo Flash Lamp Method—Arthur W. Fuchs, Rochester, N. Y..... 34
Collotype—Arthur C. Sias..... 82
Collotype, full tone printing..... 82
Collotype, how made and printed..... 86–87
Collotype, lithographic and intaglio..... 87
Color, Morgana process, two color additive—Bell and Howell Co..... 48
Color photomicrography..... 70
Colored Lantern Slides of Photomicrographs from a Single Negative—Charles Goosmann, M.D..... 201
Columbia University..... 3
Comandon. Classical work..... 5
Comandon. Long bellows..... 13
Comandon, J. References..... 17
Condenser of equal focal length as objective..... 64, 66
Confuscius. Spectacles..... 106
Contrast and strength in drawings for animation..... 128
Copying..... 64
Copying prints by submerging..... 100

D

Daguerre, Chevalier, and Niepce collaborated..... 211
Daguerre, L. J. M. First practical process Daguerreotype..... 210
Dallmeyer. Rapid rectilinear..... 109

Daphnia, by cine micro projection..... 99
Daphnia in biological study..... 99
Dark room layout, etc..... 42–48
Dental photography with Leica..... 95
Depth of focus or definition depends on N. A..... 68
Development of Photographic Chemistry—Carl D. Clarke..... 206
Development of the Camera Obscura—Carl D. Clarke..... 49
Development of the Lens—Carl D. Clarke..... 104
Diapedesis and phagocytosis in cinematography..... 117
Diffuse lighting best in curved surfaces..... 62
Diffusing screen, use and abuse..... 197
Dirt marks, difficult to remove by retouching..... 74
Double exposure in composite animation..... 127
Dry plate process..... 214
Dunlop, James R., Jr. Review..... 114, 163

E

Embryological photography with Leica..... 97
Englebrecht, Hazel..... 89
Enlarging machine, low power photomicrography..... 75
Entomology, photographic aids to..... 72
Exposure, how to determine..... 75
Exposure meter, the Electrophot..... 26
Exposure meter, the Gracophot..... 102
Exposure meter, the photoelectric..... 25

F

Fabricus, Georgius. Added sodium chloride to silver nitrate..... 207
Facsimile, its meaning and misuse..... 83
Filing of Photographic Prints, The—Stella Zimmer, Syracuse, N. Y..... 29
Filters, yellow objects with daylight glass..... 20
Fischer, Prof. A. W. Instruction in surgery by films..... 138
Fixing in common salt..... 211
Flash lights in clinical photography..... 34
Flower Radiography, Technic of—Hazel Englebrecht..... 89
Focussing and magnification..... 69
Focussing by lowering or raising of operating table..... 23
Focussing microscope: if operator wears glasses for optical correction, he must use same for focussing..... 94
Focussing with Micro Ibso attachment..... 94
Fox-Talbot. Increased sensitiveness of paper negatives..... 213
Fox-Talbot, in England followed Wedgewood and Davy and fixed prints..... 212
Fricke, Hugo. Insect Radiography..... 90

G

Gallagher, W. M., and D. Vexler 91
Gelatin, gelatino-bromide emulsion 214
Getz, Dr. Forry R. Focussing copy attachment 95
Gey. Thermo regulator and fan for temperature control in micro-cine 16
Glare, importance of eliminating 85
Glass plate to hold gross specimens 79
Goerz. Anastigmat 110
Goodwin, Dr., and George Eastman. Celluloid base 215
Goosmann, Charles 201
Gordon, Bernard de. Convex glass lens 106
Grain, elimination of in paper—Hamilton H. Poole, Baltimore, Md. 100
Gray, Gustave Le. Suggested use of collodion in photography 213
Gross camera stand made of pipe 193
Gross, Louis, M. D 79
Gross, Louis, M. D., and C. A. Johnson. Photoelectric Exposure Meter for Photomicrography 172
Gross specimens, plate and filters to use 63

H

Harding, F. R. Negative X-ray prints for reproduction 156
Harrison, Dr. Ross G 72
Harrison, W. Jerome. Schultze obtained copies of writing by light 208
Haulenbeek, Joseph B 76
Hayyam, Jabir Ibn. Silver nitrate darkens on exposure to light 207
Heard, Osborne O. Time lapse cinematography 4
Hendrick, Dr. Henri Van 111
Herschel showed action of heat rays on silver 209
Herschel, Sir John. Suggested use of glass as negative base and blue print process 213
Hertz, Dr. E. Films of movement in man 138
Historic value of operative films 140
Hoegli, Dr. E. von. Anastigmat 110
Holslag, Russel C. Projection lamp 112
Homan, Joseph B. A Photographic Apparatus to Save Time and Labor 192
Home made photomicrograph camera 103
Howard, James R. Photo retouching 144

I

Illumination, even by moving light sources 162
Illumination, gross specimens 63
Immersion, not recommended 197
Incubator, in vitro work 16
Insect Radiography—Hugo Fricke 90

Instructions for operating type 156 exposure meter..... 181
Invisible Photographic Screen—F. R. Harding..... 203

J

Jena glass, optical..... 109
Jones, H. Chapman..... 111

K

Kelvin, Lord. Geometric slide..... 9–12
Kepler. Optics of camera..... 107
Kodacolor, requires supplementary lighting..... 139
Kornhauser, Dr. S. I..... 91
Kruse, W. F..... 205
Kuhn, Dr., of Giessen. Vibrio elvers and Spirillum volutans..... 133

L

Lantern slides..... 152
Lantern slides by contact..... 198
Latent image, development one of greatest steps forward..... 211
Lee, H. W..... 111
Leica camera, economy..... 92–93
Leitz, E. Inc. Askania camera, etc..... 13
Leitz, E. Inc. Universal apparatus..... 4
Leitz, E. Inc. Viewing device..... 12
Lens, has power to refract or bend light..... 104
Lewis, Warren H. Apparatus..... 8
Lewis, Warren H. Department of Embryology..... 6
Lewis, Warren H. Synchronizing shutter..... 14
Lewis, Warren H. Universal camera..... 10
Light, Anderson spotlight for surgical cinematography..... 22
Light, automobile low voltage spotlights in surgical set up..... 28
Light box for surgical specimens..... 197
Light box, improvised for low power work..... 74
Light, control by substage condenser..... 19
Light, emitted and reflected..... 104
Light, 500-watt water cooled spotlight in operating room cine work..... 25
Light, in time elapsed cinematography..... 15
Light, Point-O-Light..... 15
Light, ribbon filament..... 15
Light, small amount needed with miniature camera..... 92
Light, wave length of, resolution..... 66
Lighting, flattened by immersion in liquid..... 77
Lighting, system for photographing pathological specimens..... 79
Long focus lenses give better perspective..... 62
Loucks and Norling Studios, New York..... 117, 121

Loveland, R. P. An Apparatus for Motion Photomicrography on 35 mm Film.. 17
Loveland, R. P. Beam splitter..... 13
Loveland, R. P. Dark field cinematography..... 128
Loveland, R. P. Floating power..... 14
Loveland, R. P. Semi-portable..... 9–10
Low magnification lenses most useful..... 66, 73
Low magnification photomicrography..... 64
Lutz, E. G. The Motion Picture Cameraman..... 114

M

Maddox, Dr. Richard Leach. Substituted gelatin for collodion..... 214
Marey, E. J. Heliostat..... 15
Marey Institute, Paris. Pioneer in micro-cinema..... 5
Medium magnification, suitable optical systems..... 66
Menge, Prof. Edward J. v. K., Zoölogist..... 99
Micro and macro photography with Leica..... 92
Micro Ibso attachment..... 94
Mobile object board controlled by levers..... 193
Morgan, Willard D..... 92
Motility in bacteria..... 128
Motion Picture as A Professional Instrument, The—W. F. Kruse..... 205
Movement, E. J. Marey..... 122
Multiplex Display Fixture Co., for lantern slides..... 156

N

Natural processes in motion pictures..... 117
Neblette, C. B..... 111
Neblette, C. B. Schultze used paper stencil..... 208
Neumann, Dr. Franz, Giessen..... 129
Niepce, Joseph Nicephore..... 107
Niepce, Joseph Nicephore. First to make a permanent reproduction by photographic means..... 210
Norling, J. A. Animated Drawings..... 121
Norling, J. A. Animated Technical Drawings..... 114
Numerical aperture, N. A..... 66

O

Objective holders, centering, etc..... 69
Observation ocular in micro cinematography..... 71
Orthochromatic plates..... 65

P

Panchromatic plates..... 65
Paper negatives for cheapness..... 101
Paramount qualities, stability and freedom from vibration..... 130

Patten and Kramer. Apparatus..... 6, 7, 8
Patten and Kramer. Incandescent illumination..... 15
Patten and Kramer. Moy camera..... 11
Patten and Kramer. Power unit..... 14
Patten and Kramer. Side tube on microscope..... 13
Payne, William F., Copier and transparency maker..... 159
Petzval, Joseph..... 104, 108
Photoelectric exposure meter for photomicrography..... 172
Photographic Apparatus to Save Time and Labor—Joseph B. Homan..... 192
Photographing under glass, eliminating reflections..... 194
Photography of Small Objects—James R. Dunlop, Jr., Baltimore, Md..... 72
Photomacrography of specimens, proper lens to use..... 63
Photo-mechanical prints..... 83
Photometer readings in cine photomicrography..... 20
Photomicrography Versus Vibration—H. W. Zieler, New York..... 41
Photostat prints to save drawings in animation..... 128
Physiological activities in motion pictures..... 117
Pin hole camera, origin..... 49–53
Plates, best for low magnification..... 75
Pliny's observation on bleaching of wax by sunlight..... 207
Point-O-Light lamp..... 64
Polo, Marco. Spectacles in China..... 106
Poole, Hamilton H., Baltimore, Md..... 100
Preparation of gross specimens to be photographed..... 80
Print quality, importance of..... 87
Problems in Biological Photography—Max Poser, Ph.D..... 102
Processing room, Arrangement for a Processing Room of Limited Space—Carl D. Clarke, Baltimore, Md..... 42
Projection lamp, wrong angle..... 111
Pyrogallic acid as a developer..... 214

R

Radiography, flowers..... 88
Radiography, insects..... 90
Reade, Rev. J. B. Photomicrography in 1837 and use of hypo..... 212
Records, perfecting your..... 1
Reducing and enlarging apparatus..... 197
Registration, special drawing board..... 125
Resolution, resolving power..... 66
Resolution, use lens of no higher N. A..... 66
Reversal of 16 mm Film at Low Cost—E. J. Roy..... 199
Ribbon filament lamp..... 64
Ries, J. Upright microscope and prism..... 5, 13, 18
Ritter discovers existence of ultra-violet..... 209
Rockefeller Institute for Medical Research, The..... 3

Rosenberger, Heinz. A standard micro-cine apparatus. 4, 6, 8, 14
Rosenberger, Heinz. References. 18
Rosenberger, Heinz. Resistors. 15
Ross. Rapid symmetrical. 109
Roy, E. J. 199

S

Safe light, with various plates. 39
Sandwich, glass, in making X-ray reductions. 158
Scheele, Charles William. Found white light decomposes silver chloride and releases chlorine. 209
Schmidt, Louis. 76, 80
Schmidt, Louis. Prints for Reproduction and Their Arrangement for Publication. 142
Schonbein. Discovered gun cotton and collodion. 213
Schulze, Johann Henrich. Light darkens silver salt. 208
Schwartz, R. Plato, M.D., and Harris B. Tuttle. Photography in Medicine, Surgery and the Biologic Sciences. 135
Scott-Archer. Developed and reported collodion (wet plate) method. 214
Screen for diffusing light in specimen photography. 76
Screen of white strings. 203
Screen painted on background. 203
Screen printed in. 204
Selection of light filters in photomicrography. 60
Semi-portable apparatus for dark field cinematography. 129
Sensitiveness of gold. Boyle 1686. 208
Simplification, importance of in animation. 128
Sources of Light and Alignment of the Lens System and Selection of Light Filters for Photomicrography—H. W. Zeiler, E. Leitz Co. 60
Spectroscope, hand, to study staining solutions and determine proper filter. . . . 65
Speed in taking and projection. 122
Sponge rubber for camera supports. 130
Standardization of technique. 60
Steinheil. Aplanat. 109
Step ladder to hold platform for camera in operating room cine recording. 22
Stopping down cone of light increases depth and decreases resolution. 68
Stopping down lens too much affects illumination. 62
Storage box for exposed and unexposed plates. 199
Straight cinematography of clinical and surgical subjects. 117
Super Speed Portrait film for X-ray reductions. 158
Surgical film possible on 16 mm with ordinary operating room lighting. 139
Surgical teaching by use of films, four objections to. 137

T

Taipenot. Dry plate process. 214
Taylor, Taylor and Hobson. Improvements in projection lenses. 110

Teaching Health With Pictures—C. E. Turner (Abs.) 57
Time-lapse Cinematography in Research—Raymond Evans (Abs.) 57
Time Lapse Motion Photomicrographic Devices—Osborne O. Heard 4
Time of exposure ¼ on 16 mm against 1 on 35 mm 132
Tissandier, Gaston 111
Tissue overlay to indicate important items 85
Trade Secrets, Elimination of—Carl D. Clarke 59
Tuttle, Clifton. Beam splitter 13
Tuttle, Clifton. 16 mm versus 35 mm 112
Tuttle, Clifton. Time lapse apparatus 4
Tuttle, Harris B., and R. Plato Schwartz, M.D 135

U

Uterus, movements and distortions 118

V

Vexler, D., and D. M. Gallagher 90
Vibration, Photomicrography Versus—H. W. Zieler, N. Y 41
Viehoever, Prof. Arno 98
Vinci, Leonardo da. Lenses 106
Voigtlander, maker of lenses 108

W

Water immersion of gross preparations 76
Water immersion unsuitable for lungs, intestines, etc 76
Water, mosquito larvae photographed under 72
Water, submerge in to obliterate highlights 74
Wedgewood and Davy. Used camera obscura with sensitized material 210
Weiss, M. S. Chronophotographie 5
Wet plate method 214
Wide field oculars 69

X

X-ray films copied on Leica 98

Y

Yale University 1, 3
Yellow-orange filters, their use 63

Z

Zeiss. Pioneers in optics—Jena glass 109
Zieler, H. W 60
Zimmer, Stella. Filing of Lantern Slides 152
"Zooming" for close up of drawing 126